Low frequency observations of M101 and NGC 5775

Sarrvesh S. Sridhar

Kapteyn Astronomical Institute, University of Groningen

June 3, 2015



Overview






- 3 Facet Calibration/Imaging
 - Preliminary results





21cm map with WSRT



3 / 26

M101




Image: Star Trek (1966)





21cm map with WSRT



21cm map with WSRT




Image: Tom Oosterloo






Lofar image of M101




AST(RON 7 / 26

Peeling 3C295






M101



LOFAR Science 2015

Low frequency observations of M101 and NGC 5775

Artifacts at "higher" resolution




LOFAR Science 2015

Low frequency observations of M101 and NGC 5775

AST(RON 10 / 26

- Edge-on galaxy at ${\sim}25~{\rm Mpc}$
- 2×4 hour observations with LOFAR





Images: ESA/Hubble & NASA; Rich Rand





Low frequency observations of M101 and NGC 5775

WMAP PI + magnetic angle







Image: Carretti et al (2013)


LOFAR Science 2015

Low frequency observations of M101 and NGC 5775



Why do we need facet calibration?


- Ionospheric effects are not constant within LOFAR's FOV
- Imperfect knowledge of station beam





Facet Calibration


- See Wendy's (Feb 18, 2015) and George's (May 13, 2015) LSM talks
- Divide up the sky into multiple facets







Preliminary Images: 5775 (Old)




Noise: \sim 4 mJy/beam





Preliminary Images: 5775 (New)




Noise: $\sim 1.2 \text{ mJy/beam}$







Low frequency observations of M101 and NGC 5775

17 / 26





Individual sources (1/2)






LOFAR Science 2015


Low frequency observations of M101 and NGC 5775

Individual sources (2/2)






- Data: 4 hours and 50 sub bands (1/12th of the entire dataset)
- \bullet Contours: 2, 3, 5 and 10 σ




 ${\rm H}\alpha$ Image: Rich Rand

- Data: 4 hours and 50 sub bands (1/12th of the entire dataset)
- $\bullet\,$ Contours: 2, 3, 5 and 10 $\sigma\,$




 ${\rm H}\alpha$ Image: Rich Rand

- Data: 4 hours and 50 sub bands (1/12th of the entire dataset)
- Contours: 2, 3, 5 and 10 σ



24 / 26

- Data: 4 hours and 50 sub bands (1/12th of the entire dataset)
- $\bullet\,$ Contours: 2, 3, 5 and 10 $\sigma\,$



 ${\rm H}\alpha$ Image: Rich Rand

