

Access to LOFAR

How to get access to LOFAR facilities and become a participant in the project

How to become a participant in the project

- If you are part of one of the Astronomical Key Science Projects, please use your designated contact person.
- If you are part of one of the International partners of LOFAR, please contact your designated contact person.
- If you are not part of any of the above please see the information on this page:
<http://www.lofar.org/contact-lofar>

Long Term Archive

You will need Science Support to grant you access, unless you are already a member in MoM of the project you are trying to access data for. Once you have access and updated your password you should use the [Long Term Archive manual](#).

How to get access to the LOFAR systems

Before you access any Lofar system, please take notice of our [General User Access Policy \(GUAP\)](#)

Central Processing Systems

Once you are a participant of the project and you need access to the CEP systems as a programmer or scientist, you will need this information:

- Get your contact person (e.g., Michael Wise) to request an account on the systems and specify what permissions you'll need.
- Ensure that you can enter the portal node (`portal.lofar.eu`) with your new account.
- Learn the basics of the [Lofar Login Environment](#) available at Central Processing.
- Learn the overall layout and use of the [central processing \(CEP\) systems](#)
- Learn about the available [packages](#)
- Learn how to use [ssh keys, ssh-agents and ssh port forwarding](#).
- Learn how to use a [VNC server](#)
- Learn how to use [the FreeNX client for compressed X11 output](#).
- Choosing [strong passwords](#).

Some important notes about the CEP1 and CEP2 home directories

Please be aware of the following:

- You share your home directory with ~ 275 neighbors
- The observe system depends upon good availability
- The pipeline runs on CEP2 also depend upon good availability
- Home directories are subject to backup operations, more volume means more vulnerability
- Moving large volumes on home-directories on head nodes can stall all cluster-nodes!
- Keep your volume below 100GB (preferably less)
- Use `rsync -bwlimit=5000` (5 MB/s) when coping data, use single thread only!
- The weekends are used for observing!

Wiki

You will have to register. See [The LOFAR wiki start page](#).

From:

<https://www.astron.nl/lofarwiki/> - **LOFAR Wiki**

Permanent link:

<https://www.astron.nl/lofarwiki/doku.php?id=public:access&rev=1485069322>

Last update: **2017-01-22 07:15**

