

# Stop-day activities April 10-11, 2018

|                                        |                                          |                           |
|----------------------------------------|------------------------------------------|---------------------------|
| <b>Coordinator</b>                     | Teun Grit                                | roadmin@astron.nl         |
| <b>Software Support</b>                | Thomas Juerges + Arno Schaap<br>(2 days) | softwaresupport@astron.nl |
| <b>Science, Operations and Support</b> | Pietro Zucca                             | sos@astron.nl             |
| <b>Observer</b>                        | Jur Sluman                               | observer@astron.nl        |

[More stopday details](#)

[LOFAR Schedule cycle 9](#)

## Systems

### Cobalt

- ✓ Reboots and idrac reboots. (Hopko/Robin)
- ✓ CBM010 will be present before the stopday

### CEP3

- ✓ Block access at 08:00 (Teun)
- ✓ Mount DAC cables to headnodes to support floating IP (Hopko/Robin)
- ✓ All nodes: file system check and reboot. (Hopko, Robin)
- ✓ Was broken: Check/debug persistence of Slurm reservations (Reinoud) For review: We should have a backup in place!
- ✓ NFS mounts for cep3, from all the lof-nodes are using control!

### CEP4

- ✓ Connect DAC cable (Hopko)

### LEXARS

- ✓ lexiar003 reboot using XCAT (148 days up) (Was done by Reinoud 9-4-2018)

### LCU

- ✓ Reboot of all Dutch LCU's (teun) (ILT stations in local mode) **For the review:** We discovered that all LCU's have a fixed NFS mount on /home. This should be an automount.

## Central Services

- ✓ Update portals to CentOS/KVM
- ✓ Update and reboot lcs020 .. lcs30
- Remove sas001
- ✓ Update & reboot NFS server lcs115
- ✓ Almost all nfs mounts on the lcs115 nfs server are over the control network. Only a few correctly use the offline network: only lexar003, lexar004, and lhd002. We should force CEP3 to use off-line!
- ✓ Mainly MAC/SAS, LCU's and Aartfaac machines use NFS over control VLAN. They don't have a off-line of on-line network connection.
- Check resolv.conf settings; see [https://support.astron.nl/lofar\\_issuetracker/issues/10448](https://support.astron.nl/lofar_issuetracker/issues/10448)

## LTA

- ✓ Update and reboot when required (Reinoud)

## Aartfaac

- Check for broken disks

## Core switches

- none (probably June)

## Software updates

## MoM and related

- ?

## MAC/SAS

- ?

## CEP3

- Reboot / fs checks
- Make AOFlagger 2.10 the default version (already installed)
- Make LOFAR-Release-3\_0\_14 the default version (linked against AOFlagger 2.10)
- Make WSClean 2.5 the default version (already installed)

## CEP4

- ?

## Aartfaac

- none

## COBALT

- none

## LTA

- none

## In the field

- none

## External

- ?

## Next stopday

The next stopday is June 5 & 6 (TBD)

From:

<https://www.astron.nl/lofarwiki/> - **LOFAR Wiki**

Permanent link:

[https://www.astron.nl/lofarwiki/doku.php?id=public:stopdayactivities\\_10apr2018&rev=1523367584](https://www.astron.nl/lofarwiki/doku.php?id=public:stopdayactivities_10apr2018&rev=1523367584)

Last update: **2018-04-10 13:39**

