

# Stop-day activities Apr 4, 2017

<b>Coordinator</b>	Reinoud Bokhorst	rbokhorst@astron.nl Skype: astron_reinoud.bokhorst
<b>Software Support</b>	Nico Vermaas	softwaresupport@astron.nl
<b>Science, Operations and Support</b>	Matthijs van der Wiel	sos@astron.nl

Planned end time: 15:00 LT (CET).

## Systems

- None

## Cobalt

- ✓ reboots and idrac reboots
- ✓ Find out why qpidd does not start at boot ⇒ [all running]

## CEP3

- ✓ All systems: Filesystem check and reboot

## CEP4

- ✓ Add 32GB to MGMT01 for Robinhood (Hopko)
- ✓ Tune MySQL for robinhood
- ✓ Increase RPC settings Lustre
- ✓ kernel setting vm.swappiness=1

## LEXARS

- ✓ Add 2 new disks to lexar004 (Hopko)

## LCU

- ✓ Reboot part of the LCU's in small portions. This to investigate the reboot problem.
- Check crontab after reboot lcuhead (check for ORPHAN tasks)

## Central Services

- ✓ mcu001 & ccu001: Add 100G in /localhome
- ✓ lcs155 to 4GB memory
- X Move most NFS traffic outside control-vlan (Kees)

- ✓ Increase RAM of dop229. Add mem to tomcat (-Xmx)

## Software updates

### MAC/SAS

- none

### CEP3

- none

### CEP4

- none

### Aartaac

- none

From:  
<https://www.astron.nl/lofarwiki/> - **LOFAR Wiki**

Permanent link:  
[https://www.astron.nl/lofarwiki/doku.php?id=public:stopdayactivities\\_4apr2017&rev=1491312128](https://www.astron.nl/lofarwiki/doku.php?id=public:stopdayactivities_4apr2017&rev=1491312128)

Last update: **2017-04-04 13:22**

