

# User Software :: pyBDSM

## External dependencies

The following packages are required in order to build pyBDSM:

- Python
- NumPy
- WCSLIB
- CFITSIO
- port3 - this is part of pyBDSM now
- minpack - this is part of pyBDSM now

The following packages are required in order to run pyBDSM:

- SciPy
- [pyfits](#)
- **fortran stuff (to make faster)**
- f2py

## Installation procedure

1. Check out source code from the LUS repository

```
svn co http://lus.lofar.org/svn/code/trunk lofarsoft
```

The components of the source code are organized as follows:

```
lofarsoft
`-- src
    '-- BDSM
        |-- doc          .. Documentation directory
        |-- implement    .. Source code compiled into library and
                           executables
            |   |-- bdsm      .. Original Fortran BDSM
            |   |-- minpack
            |   |-- port3
            |   '-- pybdsm    .. C-based Boost.Python wrappers
        '-- scripts     .. Python scripts
```

- fortran and c stuff to be compiled into libraries are in `implement/pybdsm`
- anaamika is in `implement/bdsm`
- port3 etc are in `implement`

2. Run the bootstrap script in the build directory:

```
cd build
./bootstrap
```

3. Build `pyBDSM`:

```
make bdsdm
```

This will also go through the list of required external packages and check whether they are installed; if this is not the case, the dependencies will be resolved before continuing with pyBDSM itself.

The following components (libraries and application programs) will be build:

- \_py2fbdsdm - Write pyBDSM output to fBDSM format
- \_pytesselate - Fortran implementation of Tesselation
- \_cbdsdm - Main python module to be imported

#### 4. Installation of pyBDSM

Upon completion of the build, the generated components will be installed into the following locations:

```
.
          .. $LOFARSOFT
|-- release
|   |-- bin           .. $PATH
|   |-- include
|   `-- lib
|       '-- python    .. $PYTHONPATH
|           |-- _cbdsdm.so
|           '-- bdsdm     .. Installation location of Python
scripts
|           |-- image.py
|           |
|           |
```

- executables are in *release/bin* and other stuff are in *release/lib*, *release/includes* and *release/lib/python* (pythonpath)
- doc is in *doc*

## Troubleshooting

```
>>> import bdsdm
Traceback (most recent call last):
  File "<stdin>", line 1, in <module>
  File "/home/lars/usg/code/trunk/release/lib/python/bdsdm/__init__.py", line
9, in <module>
    from preprocess import Op_preprocess
  File "/home/lars/usg/code/trunk/release/lib/python/bdsdm/preprocess.py",
line 8, in <module>
    import _cbdsdm
ImportError: dynamic module does not define init function (init_cbdsm)
```

From:  
<https://www.astron.nl/lofarwiki/> - **LOFAR Wiki**

Permanent link:  
[https://www.astron.nl/lofarwiki/doku.php?id=public:user\\_software:pybdsm&rev=1318870733](https://www.astron.nl/lofarwiki/doku.php?id=public:user_software:pybdsm&rev=1318870733)

Last update: **2011-10-17 16:58**

