

Fringes between Effelsberg, Tautenburg, Unterweilenbach and NL

LOFAR status meeting

Olaf Wucknitz

wucknitz@astro.uni-bonn.de



Argelander-
Institut
für
Astronomie

17 February 2010


First Effelsberg fringes 2009

- first long baseline: ~ 300 km
- August/September 2009: fringes found and confirmed
- clock offset $\sim 1 \mu\text{sec}$
- ionospheric delays: typ. $\lesssim 0.5 \mu\text{sec}$ at 50 MHz
- phase rates: typ. $\lesssim 10\text{--}30 \text{ mHz}$
- can separate dispersive (ionospheric) from non-dispersive (clock and position) effects


First Tautenburg fringes

- observation 261 (Heald & Haas)
- 6 h 3C196, 248 subbands, 1 sec
- data set D2010_16370 (2.4 TB)
- some NL stations + Tautenburg
- fringes to Tautenburg found by Ashish Asgekar, Annette Haas and George Heald
- possibly swapped X/Y polarisation
- additional analysis from me


First Tautenburg fringes: delay/rate spectrum




First Tautenburg fringes: delay and phase rates



Faraday rotation and swapped polarisations



Pseudo total intensity: source structure



Analysis of first Tautenburg fringes

- see USG forum, <http://usg.lofar.org/forum/index.php?topic=228.0>
- fringes confirmed
- clock offset relative to NL $\sim 0.3 \mu\text{sec}$
- ionospheric delay $\lesssim 0.25 \mu\text{sec}$ (at $\sim 50 \text{ MHz}$)
- differential Faraday rotation present
- swapped X/Y most plausible
- nice beating in amplitudes due to source structure

Second observation

- observation 266 (Haas et al.)
- 8 h 3C196, 248 subbands, 1 sec
- data set L2010_16473 (8.6 TB !!)
- many NL stations + Tautenburg + Effelsberg
- only partly analysed
- fringes to Tautenburg and Effelsberg
- fringes between Tautenburg and Effelsberg
- continues

Third observation: with Unterweilenbach


- observation 274 (Polatidis et al.)
- 6 h 3C196, 160 ‘random’ subbands, 1 sec
- data set D2010_16704 (1.0 TB)
- few NL stations + Tautenburg + Effelsberg + Unterweilenbach
- some technical problems
- but: fringes to and between all German stations!

Locations




DE601 - RS307 (Effelsberg - NL)

D2010_16704 in 4 bands : DE601LBA-RS307LBA coherent




DE602 - RS307 (Unterweilenbach - NL)

D2010_16704 in 4 bands : DE602LBA-RS307LBA coherent




DE603 - RS307 (Tautenburg - NL)

D2010_16704 in 4 bands : DE603LBA-RS307LBA coherent




DE601 - DE602 (Effelsberg - Unterweilenbach)




DE601 - DE603 (Effelsberg - Tautenburg)


D2010_16704 in 4 bands : DE601LBA-DE603LBA coherent



DE602 - DE603 (Unterweilenbach - Tautenburg)




Delays etc. Unterweilenbach - Tautenburg, band C



Conclusions so far

- fringes on all long baselines
- ionosphere well-behaved
- significant Faraday rotation
- swapped polarisations?
- sometimes huge **clock offsets**
(Tautenburg $\sim 18 \mu\text{sec}$!)
- chunks of 25 % subbands have many
synchronous short dropouts (data transfer?)
- more to come, watch the USG forum

Delay/rate spectra DE602-DE603



Contents

- 1 First Effelsberg fringes 2009
- 2 First Tautenburg fringes
- 3 First Tautenburg fringes: delay/rate spectrum
- 4 First Tautenburg fringes: delay and phase rates
- 5 Faraday rotation and swapped polarisations
- 6 Pseudo total intensity: source structure
- 7 Analysis of first Tautenburg fringes
- 8 Second observation
- 9 Third observation: with Unterweilenbach
- 10 Locations
- 11 DE601 - RS307 (Effelsberg - NL)
- 12 DE602 - RS307 (Unterweilenbach - NL)
- 13 DE603 - RS307 (Tautenburg - NL)
- 14 DE601 - DE602 (Effelsberg - Unterweilenbach)
- 15 DE601 - DE603 (Effelsberg - Tautenburg)
- 16 DE602 - DE603 (Unterweilenbach - Tautenburg)
- 17 Delays etc. Unterweilenbach - Tautenburg, band C
- 18 Conclusions so far

19 Delay/rate spectra DE602-DE603

20 Contents