
LOFAR Roll Out Update

André W. Gunst







AST(RON



AST(RON











AST(RON











```
lofartestaCS302C:~
TBBBandsel
DIAGBypassSettings . . . .
. . . . . . . . . . . . . . . . . . Ş
RawDataBlock(read) . . .
SerdesWrite
SerdesRead
[lofartest@CS302C ~]$ rspctl --version
090415 084803,103 [23584] TRACE TRC [:] - TRACE module activated
log4cplus:ERROR Unable to open file: ../log/rspctl.log
log4cplus:ERROR Unable to open file: ../log/rspctl.log
RSP[ 0] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 1] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 2] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 3] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 4] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 5] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 6] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 7] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 8] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[ 9] RSP version = 5, BP version = 5.3, AP version = 5.3
RSP[10] RSP version = 5. BP version = 5.3. AP version = 5.3
RSP[11] RSP version = 5, BP version = 5.3, AP version = 5.3
[lofartest@CS302C ~]$
```








> 72 offline nodes

≥ 24 storage nodes

> 8 data switches

> 2 Front End nodes

LOFAR Phase 1 cluster Rear view



Legend

10GbE Uplink

Management network