

Installation of certificates

Obtaining a personal grid certificate

- Request a user certificate via the [Terena eScience portal](#) (federated European organisations) or [jGridstart](#) (other Dutch organisations) and follow the instructions. A good starting point for finding your certificate authority if not available from these sites is: <https://www.eugridpma.org/members/worldmap/> (Europe) or <http://www.igtf.net/> (World wide). Contact Science Support if none of the above works.
- Install the certificate by following the instructions provided by your certificate authority. Typically this involves:
 1. Save the mail with the signed certificate as `$HOME/.globus/usercert.pem` and make sure that the `userkey.pem` file in that directory contains the private key that matches this certificate. As these `*.pem` files are strictly personal, their permissions should be set properly by the following command:

```
> chmod 600 *.pem
```
 2. Load the certificate into your web browser. See e.g. <http://ca.dutchgrid.nl/info/browser> for instructions. Installation can also be done using the jGridstart tool (see above) for supported browsers.
 3. Apply for authorization to use LOFAR resources:
 - <https://voms.grid.sara.nl:8443/voms/lofar> for access to the LOFAR LTA storage.
 4. NB If appropriate, you may be interested in applying for membership of other communities, e.g.:
 - <https://voms.grid.sara.nl:8443/vomses> for other GRID communities hosted in the Netherlands.
 - <https://cic.gridops.org/index.php?section=home&page=volist> for all Grid communities registered in Europe by discipline.

Notes on jGridStart usage

- It's possible that on OSX Lion or Mountain Lion the jGridStart does not work. This is due to the java support for OSX moving from Apple to Oracle directly. To fix this check the following article <http://support.apple.com/kb/HT5559> to get javaws on the commandline so you can use it like this:

```
> javaws http://ca.dutchgrid.nl/start/jgridstart.jnlp
```

. You can also download the latest java for [OSX from Oracle](#) and open `/System/Library/CoreServices` after that to update your CoreServices (you will just see a new Finder window, nothing seems to happen).
- Sometimes the "install into browser" mode of the jGridStart doesn't work properly. In that case you can have jGridStart generate a `.p12` file and import that into your browser manually. This seems openssl related as generating the `.p12` with openssl on the commandline also seems to fail if this happens.

From:

<https://www.astron.nl/lofarwiki/> - **LOFAR Wiki**

Permanent link:

https://www.astron.nl/lofarwiki/doku.php?id=public:grid_certificate&rev=1370334547

Last update: **2013-06-04 08:29**

